DEALERS' NET PRICES

Applying to Catalog No. Nineteen

Crescent and Smith & Hemenway Tools

Effective June 15, 1931.

CRESCENT TOOL SECTION

Assortments	Each	Doz.
Crestoloy Kit	2.48	
DB3	2.82	
DB4	4.95	
DB5	35.57	
DB6	5.40	
DB7	3.84	
DB8	3.24	
DB9	6.30	
DB10	3.00	
DB13	2.88	
DB300 S'wdriver Ass't	5.60	
DB400 " "	6.44	
DB500 " "	5.88	
DB600 " "	7.68	
RP1	4.51	
TK31	1.54	
Awls, Scratch		
73	.22	2.64
Hack Saw Frames		
1040-8"	.38	4.56
1040-10"	.42	5.04
1040-12"	.49	5.88
1042	.49	5.88
1044 10" Heavy Duty	1.10	13.20
1045	1.25	15.00
1046	.67	8.04
1047	.80	9.60
1048	.67	8.04
1049	.80	9.60
Hack Saw Repair Parts		
Wing Nuts	.03	.36
Tension Screw	.05	.60
Post	.05	.60
Pliers		
D27 Universal 7" Nick.	.39	4.68
D37 Universal 7" Blk.	.35	4.20
E26 Crescent 6" Nick.	.51	6.12
E28 Crescent 8" Nick.	.59	7.08
E210 Crescent 10" Nick.	.70	8.40
E36 Crescent 6" Blk.	.43	5.16
E38 Crescent 8" Blk.	.51	6.12
E310 Crescent 10" Blk.	.59	7.08
G25 MoToR KiT 5" Nk	.27	3.24
G26 MoToR KiT 6" Nk	.27	3.24
G28 MoToR KiT 8" Nk	.39	4.68
G210 MoToR KiT 10" Nk	.55	6.60
G35 MoToR KiT 5" Blk	.20	2.40
G36 MoToR KiT 6" Blk	.20	2.40
G38 MoToR KiT 8" Blk	.27	3.24
G310 MoToR KiT 10" Bk	.43	5.16
H25 CeeTeeCo 5" Nick	.19	2.28
H25 (Bulk packing)		2.00
Sold only in gross lots at this price		
H26 CeeTeeCo 6" Nick.	.19	2.28
H26 (Bulk packing)		2.00
Sold only in gross lots at this price		
H28 CeeTeeCo 8" Nick	.28	3.36
H210 CeeTeeCo 10" Nick	.41	4.92
J26 Bent Nose 6" Nickel	.39	4.68
J36 Bent Nose 6" Black	.35	4.20

Pliers, Continued	Each	Doz.
L25 Thin Nose 5" Nick.	.32	3.84
L26 Thin Nose 6" Nick.	.32	3.84
L28 Thin Nose 8" Nick.	.47	5.64
L210 Thin Nose 10" Nk.	.65	7.80
LS26 Slip J't. Side Cut.	.48	5.76
M16 Long Nose 6" Pol.	.50	6.00
264	.23	2.76
Plier Repair Parts		
5" Bolts and Nuts	.03	.36
6" Bolts and Nuts	.03	.36
(6" fits also 7 and 8" pliers)		
10" Bolts and Nuts	.05	.60
Screwdrivers		
K24-4" Nickel	.51	6.12
K25-5" Nickel	.55	6.60
K26-6" Nickel	.59	7.08
K101½-1½"	.16	1.92
K201½-1½"	.21	2.52
K302-2"	.18	2.16
K303-3"	.19	2.28
K304-4"	.22	2.64
K305-5"	.25	3.00
K306-6"	.26	3.12
K308-8"	.35	4.20
K310-10"	.45	5.40
K312-12"	.50	6.00
K402-2"	.21	2.52
K403-3"	.24	2.88
K404-4"	.25	3.00
K405-5"	.27	3.24
K406-6"	.30	3.60
K408-8"	.38	4.56
K410-10"	.45	5.40
K412-12"	.52	6.24
K502½-2½"	.21	2.52
K503½-3½"	.22	2.64
K504½-4½"	.24	2.88
K505½-5½"	.25	3.00
K506½-6½"	.26	3.12
K508½-8½"	.29	3.48
K510½-10½"	.32	3.84
K512½-12½"	.35	4.20
K602-2"	.25	3.00
K603-3"	.27	3.24
K604-4"	.30	3.60
K605-5"	.33	3.96
K606-6"	.36	4.32
K608-8"	.51	6.12
K610-10"	.57	6.84
K612-12"	.65	7.80
Snips		
S47 7"	.48	5.76
S48 8"	.50	6.00
S49 9"	.60	7.20
S410 10"	.65	7.80
S411 11"	.72	8.64
S412 12"	.80	9.60
S413 13"	1.00	12.00
S414 14"	1.15	13.80

Snips, Continued	Each	Doz.
T47 7" Circular	.62	7.44
T412 12" Circular	.98	11.76
U412 12" Circular	.98	11.76
Snip Repair Parts		
SBN 7-7" Bolt and Nut	.05	.60
SBN 8-8" " " "	.05	.60
SBN 9-9" " " "	.05	.60
SBN10-10" " " "	.06	.72
SBN11-11" " " "	.06	.72
SBN12-12" " " "	.06	.72
SBN13-13" " " "	.07	.84
SBN14-14" " " "	.07	.84
Note—SBN7 and SBN12 fit S, T and U style snips		
Wrenches, Crestoloy		
AC16 6" Crestoloy	.62	7.44
AC18 8" Crestoloy	.75	9.00
AC110 10" Crestoloy	.95	11.40
Wrenches, Single End		
A14 4" Polished	.47	5.64
A16 6" Polished	.47	5.64
A18 8" Polished	.58	6.96
A110 10" Polished	.72	8.64
A112-12" Polished	1.08	12.96
A115 15" Polished	1.62	19.44
A118 18" Polished	2.33	27.96
A24 4" Nickel	.58	6.96
A26 6" Nickel	.58	6.96
A28 8" Nickel	.72	8.64
A210 10" Nickel	.90	10.80
A212-12" Nickel	1.50	18.00
A215 15" Nickel	2.15	25.80
A218 18" Nickel	3.05	36.60
Wrenches, Double End		
B146 4 -6" Polished	.80	9.60
B168 6 -8" Polished	.90	10.80
B1810 8 -10" Polished	1.08	12.96
B11012 10-12" Polished	1.43	17.16
B246 4 -6" Nickel	1.00	12.00
B268 6 -8" Nickel	1.15	13.80
B2810 8 -10' Nickel	1.37	16.44
B21012 10-12" Nickel	1.90	22.80
Wrenches, Auto		
O19 9" Polished	.50	6.00
O111-11" Polished	.83	9.96

Cadmium plating may be had on wrenches for the same price as nickel. Not carried in stock.

Wrench Repair Parts Jaws		
A14J 4" Jaws	.17	2.04
A16J 6" Jaws	.17	2.04
A18J 8" Jaws	.21	2.52
A110J 10" Jaws	.28	3.36
A112J 12" Jaws	.42	5.04
A115J 15" Jaws	.59	7.08
A118J 18" Jaws	.80	9.60

Wrench Repair Parts, Cont.

	Each	Doz.
AC16J 6" Crestoloy Jaw	.21	2.52
AC18J 8" " "	.26	3.12
AC110J 10" " "	.33	3.96
O19J 9" Jaws	.28	3.36
O111J 11" Jaws	.42	5.04

Knurls

A14K 4" Knurls	.07	.84
A16K 6" Knurls	.07	.84
A18K 8" Knurls	.08	.96
A110K 10" Knurls	.10	1.20
A112K 12" Knurls	.17	2.04
A115K 15" Knurls	.24	2.88
A118K 18" Knurls	.38	4.56
AC16K 6" Crestoloy Knl	.09	1.08
AC18K 8" " "	.10	1.20
AC110K 10" " "	.12	1.44
O19K 9" Knurls	.10	1.20
O111K 11" Knurls	.17	2.04

Pins

A14P 4" Pins	.03	.36
A16P 6" Pins	.03	.36
A18P 8" Pins	.03	.36
A110P 10" Pins	.03	.36
A112P 12" Pins	.07	.84
A115P 15" Pins	.07	.84
A118P 18" Pins	.07	.84
AC16P 6" Crestoloy Pns	.03	.36
AC18P 8" " "	.03	.36
AC110P 10" " "	.03	.36
O19P 9" Pins	.03	.36
O111P 11" Pins	.07	.84

Springs

A14S 4" Spring	.03	.36
A16S 6" Spring	.03	.36
A18S 8" Spring	.03	.36
A110S 10" Spring	.03	.36
A112S 12" Spring	.03	.36
A115S 15" Spring	.03	.36
A118S 18" Spring	.03	.36
AC16S 6" Crestoloy Spg.	.03	.36
AC18S 8" " "	.03	.36
AC110S 10" " "	.03	.36
O19S 9" Spring	.03	.36
O111S 11" Spring	.03	.36

SMITH & HEMENWAY Section

Assortments and Displays	Each
WC1	$43.65
WC2	34.06
WC3	42.06
Easels for WC1, WC2, WC3	1.00
DB11	5.67
DB12	5.61
DB214	4.28
2400A	7.40
EB2400-45	23.40
2400C	7.15
488S	.80
490S	1.00

Auger Bits—See Bits, Auger

Awls, Scratch—See Crescent Tool Section

Bearing Scrapers—See Scrapers, Bearing

Bits, Auger

	Each	Doz
2400 3/16"	.44	5.28
4/16"	.30	3.60
5/16"	.33	3.96
6/16"	.37	4.44
7/16"	.41	4.92
8/16"	.44	5.28
9/16"	.48	5.76
10/16"	.52	6.24
11/16"	.55	6.60
12/16"	.59	7.08
13/16"	.63	7.56
14/16"	.67	8.04
15/16"	.70	8.40
16/16"	.74	8.88
17/16"	.83	9.96
18/16"	.88	10.56
19/16"	1.00	12.00
20/16"	1.11	13.32
22/16"	1.22	14.64
24/16"	1.33	15.96
2403-2404		
10/16"	.52	6.24
11/16"	.55	6.60
12/16"	.59	7.08
13/16"	.63	7.56
14/16"	.67	8.04
16/16"	.74	8.88

Bits, Screwdriver—See Screwdriver Bits

Blades, Hack Saw

	Doz.	Gross
1239-1439 8"	.35	4.20
10"	.44	5.28
12"	.54	6.48

Specify whether 18, 24 or 32 teeth

Buffalo Grips—See Grips, Wire

Cape Chisels—See Chisels, Misc.

Chisels, Cold

	Each	Doz.
160 1/4"	.12	1.44
5/16"	.13	1.56
3/8"	.14	1.68
1/2"	.18	2.16
5/8"	.22	2.64
3/4"	.28	3.36
7/8"	.37	4.44
1"	.48	5.76
260-12" 1/2"	.25	3.00
5/8"	.33	3.96
3/4"	.50	6.00
7/8"	.58	6.96
1"	.73	8.76

Chisels, Misc.

	Each	Doz.
164, 165, 166, 167		
1/4"	.21	2.52
5/16"	.27	3.24
3/8"	.35	4.20
1/2"	.49	5.88
5/8" Not made in 164	.60	7.20
165 3/4"	.68	9.36

Chisels, Wood

175-3/4"	.42	5.04
175-1"	.50	6.00
175-1 1/4"	.55	6.60

Clamps, Wire

266	.94	11.28
368	1.88	22.56
369	2.71	32.52
566	1.77	21.24
568	2.40	28.80

Climbers, Pole

	Pr.	Doz. Pr.
253	2.08	24.96

Climber Pads—See Pads, Climber

Climber Straps—See Straps, Climber

Cold Chisels—See Chisels, Cold

Comalongs—See Clamps, Wire

Connectors, Electricians'

	Each	Doz.
312	2.00	24.00
417	2.08	24.96
419	3.75	45.00
424	2.03	24.36
709	1.38	16.56
713	1.69	20.28
715	1.69	20.28
717	2.50	30.00
732	2.00	24.00
745	1.69	20.28

Diamond Point Chisels—See Chisels, Misc.

Drills, Star

		Each	Doz.
161-12"	¼"	.21	2.52
	5/16"	.21	2.52
	⅜"	.21	2.52
	7/16"	.23	2.76
	½"	.25	3.00
	9/16"	.30	3.60
	⅝"	.38	4.56
	¾"	.44	5.28
	⅞"	.49	5.88
	1"	.65	7.80
	1⅛"	.81	9.72
	1¼"	1.08	12.96
	1⅜"	1.35	16.20
	1½"	1.62	19.44
	1⅝"	2.03	24.36
	1¾"	2.43	29.16
	1⅞"	2.84	34.08
	2"	3.65	43.80
	2¼"	4.45	53.40
161-18"	¼"	.28	3.36
	5/16"	.28	3.36
	⅜"	.28	3.36
	7/16"	.29	3.48
	½"	.31	3.72
	9/16"	.38	4.56
	⅝"	.48	5.76
	¾"	.54	6.48
	⅞"	.61	7.32
	1"	.75	9.00
	1⅛"	.95	11.40
	1¼"	1.22	14.64
	1⅜"	1.51	18.12
	1½"	1.79	21.48
	1⅝"	2.19	26.28
	1¾"	2.62	31.44
	2"	3.03	36.36
	2¼"	3.92	47.04
	2½"	4.72	56.64

Electricians Climbers—See Climbers

Electricians Connectors—See Connectors

Electricians Safety Straps—See Straps, Safety

Electricians Tool Belts—See Tool Belts

Electricians Wire Clamps—See Clamps

Grips, Wire

471	2.60	
472	4.10	
473	6.20	
574	4.30	
575	5.40	
674	4.80	
675	6.00	
771	3.30	
772	4.50	
773	7.85	
871	6.55	
872	7.50	
873	8.15	
874	8.75	
875	10.30	

Hack Saw Blades—See Blades, Hack Saw

Half Round Nose Chisels—See Chisels, Misc.

Havens' Clamps—See Grips, Wire

Lag Screw Wrenches—See Wrenches, Lag Screw

Nail Pullers—See Pullers, Nail

Pads, Cimber

	Pr.	Doz. Pr.
255	.27	3.24
355	.52	6.24

Pliers

			Each	Doz.
20	4"		.52	6.24
	5"		.57	6.84
	6"		.65	7.80
21	4"		.52	6.24
	5"		.57	6.84
	6"		.65	7.80
22	4"		.52	6.24
	5"		.58	6.96
	6"		.65	7.80
23	6"		.88	10.56
39,40	5"		.66	7.92
50	4"		.60	7.20
	5"		.67	8.04
	6"		.72	8.64
	7"		.80	9.60
	8"		.87	10.44
50	6"	(Insul. Hdle.)	1.50	18.00
	7"	" "	1.65	19.80
	8"	" "	1.85	22.20
70	6"		.60	7.20
	7"		.67	8.04
	8"		.72	8.64
72	5"		.59	7.08
	6"		.65	7.80
	7"		.76	9.12
125	6"		.62	7.44
265	4½"		.74	8.88
282	6"		.35	4.20
	8"		.43	5.16
	10"		.50	6.00
350	8"		1.25	15.00
444	7"		.66	7.92
450	8"		1.75	21.00
470	7"		.52	6.24
	8"		.55	6.60
	10"		.62	7.44
500	5"		.73	8.76
542	7"		.81	9.72
570	6"		.50	6.00
622	5"	Polished	.73	8.76
	5"	Nickel	.96	11.52
642	6"		.83	9.96
650	6"		.88	10.56
652	6"		.94	11.28
654	6"		.88	10.56
	7"		.99	11.88
742	7"		.98	11.76
777	6"		.93	11.16
	7"		1.04	12.48

Pliers, Continued

		Each	Doz.
888	6"	1.09	13.08
925	6"	.62	7.44
	8"	.75	9.00
	10"	.97	11.64
926	8"	.88	10.56
	10"	1.09	13.08
942	4"	.79	9.48
	5"	.86	10.32
	6"	1.03	12.36
943	5"	.98	11.76
950	5½"	.82	9.84
	7"	.99	11.88
999	6"	.60	7.20
	8"	.71	8.52
1000	5"	.45	5.40
	6"	.51	6.12
	8"	.61	7.32
	10"	.81	9.72
1024	5"	.62	7.44
	6"	.68	8.16
1027	7"	.78	9.36
1033	6"	.73	8.76
	7"	.83	9.96
1225	7"	.90	10.80
1226	7"	.83	9.96
1650	6"	1.56	18.72
	7"	1.75	21.00
	8"	2.00	24.00
	9"	2.50	30.00
1906	10"	1.00	12.00
1907	10"	.80	9.60
1950	6"	1.00	12.00
	7"	1.16	13.92
	8"	1.33	15.96
	9"	1.80	21.60
1950	8" (Insul. Hdle)	2.35	28.20
3700	5½"	.....	.....
	6"	.....	.....
	7"	.....	.....
	8"	.....	.....
3800	5½"	.65	7.80
	6"	.65	7.80
	7"	.73	8.76
	8"	.80	9.60

Pullers, Nail

1	1.05	12.60
1½	.95	11.40
13	.74	8.88
101	1.30	15.60

Pullers, Nail, Repair Parts

		Each
1	Short Jaw	.40
1	Long Jaw	.55
1	Rammer	.40
1½	Short Jaw	.40
1½	Long Jaw	.55
1½	Rammer	.40
13	Short Jaw	.30
13	Long Jaw	.50
13	Rammer	.30
101	Short Jaw	.45
101	Long Jaw	.63
101	Rammer	.45
Nuts, Bolts and Lock Washers		.12½

PUNCHES

Punches, Repair and Lining Up

		Each	Doz.
95	3/16"	.29	3.48
	1/4"	.40	4.80
	3/8"	.50	6.00

Punches, Center

486	1/4"	.12	1.44
	5/16"	.13	1.56
	3/8"	.14	1.68
	1/2"	.21	2.52

Punches, Prick

487	5/16"	.14	1.68
	3/8"	.15	1.80

Punches, Pin

488	1/8"	.19	2.28
	5/32"	.19	2.28
	3/16"	.19	2.28
	1/4"	.23	2.76
	5/16"	.35	4.20
490	All Sizes	.25	3.00

Punches, Solid

489	3/32" to 8/32"	.20	2.40
489	5/16"	.35	4.20
489	7/16"	.50	6.00

Round Nose Chisels—See Chisels, Misc.

Scrapers, Bearing

86	3"	.44	5.28
	3¼"	.47	5.64
	3½"	.50	6.00
87	(Set of Three)	1.41	16.92

Scratch Awls—See Awls, Scratch (Crescent Section)

Screwdrivers, Crescent—Sec. Crescent Tool Section of this price list

Screwdrivers, S. & H. Co.

214	2"	.11	1.32
	3"	.13	1.56
	4"	.16	1.92
	5"	.18	2.16
	6"	.22	2.64
	8"	.29	3.48
	10"	.37	4.44
	12"	.44	5.28
215	1½"	.13	1.56
216	1½"	.18	2.16
1315	2½"	.13	1.56
	3½"	.16	1.92
	4½"	.18	2.16
	5½"	.22	2.64
	6½"	.26	3.12
	8½"	.35	4.20
	10½"	.43	5.16
	12½"	.52	6.24
1412	1¾"	.22	2.64
	2½"	.31	3.72
	3½"	.42	5.04
	4½"	.50	6.00

Screwdrivers, Cont.

		Each	Doz.
1418	1¾"	.38	4.56
	5"	.60	7.20
1420	2"	.16	1.92
	3"	.19	2.28
	4"	.23	2.76
	5"	.27	3.24
	6"	.33	3.96
	8"	.43	5.16
	10"	.55	6.60
	12"	.65	7.80
1514	2"	.15	1.80
	3"	.17	2.04
	4"	.21	2.52
	5"	.25	3.00
	6"	.29	3.48
	8"	.39	4.68
	10"	.48	5.76
	12"	.59	7.08

Screwdriver Bits

421	(Bits) 4"	.12	1.44
	4½"	.12	1.44
	5"	.12	1.44
1421	(Bits) Assortment	1.44	17.28

Snips

270	2¾ x 10"	.59	7.08
	3¼ x 12"	.68	8.16
271	No. 6½—15½"	2.74	.....
	7 —14"	2.29	.....
	8 —13"	1.83	.....
	9 —12"	1.60	.....
	10—11"	1.46	.....
	11—10"	1.09	.....
	12— 9"	.90	.....
274	17—14"	2.51	.....
	18—13"	2.11	.....
	19—12"	1.85	.....
	110—11"	1.69	.....
578	7"	.45	5.40

Star Drills—See Drills, Star

		Doz. Set	Doz. Sets
Straps, Climber			
254		1.38	16.56

		Each	Doz.
Straps, Safety			
349	1¾"	4.90	58.80
	2"	5.20	62.40

Tinners' Snips—See Snips

Tool Belts, Electricians

158	2¼"	3.55	42.60

Wood Chisels—See Chisels, Wood

Wrenches, Lag Screw

275		1.88	22.56

CRESCENT TOOL CO.,

JAMESTOWN, N.Y., U.S.A.

RETAIL NET PRICES

Applying to Catalog No. Nineteen

Crescent and Smith & Hemenway Tools

Effective June 15, 1931.

CRESCENT TOOL SECTION

Assortments	Each
Crestoloy Kit	$ 4.00
TK31	2.35

Awls, Scratch

73	.35

Hack Saw Frames

1040-8"	.60
1040-10"	.65
1040-12"	.75
1042	.75
1044 10" Heavy Duty	1.75
1045	2.00
1046	1.00
1047	1.25
1048	1.00
1049	1.25

Hack Saw Repair Parts

Wing Nuts	.05
Tension Screws	.10
Posts	.10

Pliers

D27 Universal 7" Nick.	.60
D37 Universal 7" Blk.	.55
E26 Crescent 6" Nick.	.75
E28 Crescent 8" Nick.	.90
E210 Crescent 10" Nick.	1.05
E36 Crescent 6" Blk.	.65
E38 Crescent 8" Blk.	.75
E310 Crescent 10" Blk.	.90
G25 MoToR KiT 5" Nk.	.50
G26 MoToR KiT 6" Nk.	.50
G28 MoToR KiT 8" Nk.	.60
G210 MoToR KiT 10" Nk.	.85
G35 MoToR KiT 5" Blk.	.30
G36 MoToR KiT 6" Blk.	.30
G38 MoToR KiT 8" Blk.	.45
G310 MoToR KiT 10" Blk.	.65
H25 CeeTeeCo 5" Nick.	.30
H25 Bulk packing	.25
H26 CeeTeeCo 6" Nick.	.30
H26 Bulk packing	.25
H28 CeeTeeCo 8" Nick.	.45
H210 CeeTeeCo 10" Nick.	.65
J26 Bent Nose 6" Nickel	.60
J36 Bent Nose 6" Black	.55
L25 Thin Nose 5" Nick.	.50
L26 Thin Nose 6" Nick.	.50
L28 Thin Nose 8" Nick.	.75
L210 Thin Nose 10" Nick.	1.00
LS26 Slip Joint Side Cut.	.75
M16 Long Nose 6" Pol.	.75
264	.35

Plier Repair Parts	Each
5" Bolts and Nuts	.05
6" Bolts and Nuts (6" fits also 7 and 8" pliers)	.05
10" Bolts and Nuts	.10

Screwdrivers

K24-4" Nickel	.75
K25-5" Nickel	.85
K26-6" Nickel	.95
K101½-1½"	.25
K201½-1½"	.35
K302-2"	.30
K303-3"	.30
K304-4"	.35
K305-5"	.40
K306-6"	.45
K308-8"	.60
K310-10"	.70
K312-12"	.80
K402-2"	.35
K403-3"	.40
K404-4"	.40
K405-5"	.45
K406-6"	.50
K408-8"	.60
K410-10"	.70
K412-12"	.80
K502½-2½"	.30
K503½-3½"	.35
K504½-4½"	.35
K505½-5½"	.40
K506½-6½"	.45
K508½-8½"	.50
K510½-10½"	.55
K512½-12½"	.60
K602-2"	.40
K603-3"	.45
K604-4"	.50
K605-5"	.55
K606-6"	.60
K608-8"	.80
K610-10"	.90
K612-12"	1.00

SNIPS

S47 7"	.75
S48 8"	.80
S49 9"	.90
S410 10"	1.00
S411 11"	1.10
S412 12"	1.25
S413 13"	1.50
S414 14"	1.75
T47 7" Circular	1.00
T412 12" Circular	1.50
U412 12" Circular	1.50

Snip Repair Parts	Each
SBN 7-7" Bolt and Nut	.08
SBN 8-8" " " "	.08
SBN 9-9" " " "	.08
SBN10-10" " " "	.10
SBN11-11" " " "	.10
SBN12-12" " " "	.10
SBN13-13" " " "	.15
SBN14-14" " " "	.15

Note—SBN7 and SBN12 fit S, T and U style snips

Wrenches, Crestoloy

AC16 6" Crestoloy	1.00
AC18 8" Crestoloy	1.25
AC110 10" Crestoloy	1.50

Wrenches, Single End

A14 4" Polished	.75
A16 6" Polished	.75
A18 8" Polished	.95
A110 10" Polished	1.20
A112 12" Polished	1.75
A115 15" Polished	2.65
A118 18" Polished	3.80
A24 4" Nickel	.90
A26 6" Nickel	.90
A28 8" Nickel	1.10
A210 10" Nickel	1.35
A212 12" Nickel	2.25
A215 15" Nickel	3.25
A218 18" Nickel	4.50

Wrenches, Double End

B146 4 -6" Polished	1.30
B168 6 -8" Polished	1.50
B1810 8 -10" Polished	1.75
B11012 10-12" Polished	2.35
B246 4 -6" Nickel	1.50
B268 6 -8" Nickel	1.75
B2810 8 -10" Nickel	2.10
B21012 10-12" Nickel	2.75

Wrenches, Auto

O19 9" Polished	.75
O111 11" Polished	1.25

Wrench Repair Parts

A14J 4" Jaws	.25
A16J 6" Jaws	.25
A18J 8" Jaws	.30
A110J 10" Jaws	.40
A112J 12" Jaws	.60
A115J 15" Jaws	.85
A118J 18" Jaws	1.15
AC16J 6" Crestoloy Jaw	.30
AC18J 8" " "	.40
AC110J 10" " "	.50
O19J 9" Jaws	.40
O111J 11" Jaws	.60

Wrench Repair Parts, Cont. — Each

Knurls

A14K 4" Knurls	.10
A16K 6" Knurls	.10
A18K 8" Knurls	.12
A110K 10" Knurls	.15
A112K 12" Knurls	.25
A115K 15" Knurls	.35
A118K 18" Knurls	.55
AC16K 6" Crestoloy Knurls	.13
AC18K 8" " "	.15
AC110K 10" " "	.20
O19K 9" Knurls	.15
O111K 11" Knurls	.25

Pins

A14P 4" Pins	.05
A16J 6" Pins	.05
A18P 8" Pins	.05
A110P 10" Pins	.05
A112P 12" Pins	.10
A115P 15" Pins	.10
A118P 18" Pins	.10
AC16P 6" Crestoloy Pins	.05
AC18P 8" " "	.05
AC110P 10" " "	.05
O19P 9" Pins	.05
O111P 11" Pins	.10

Springs

A14S 4" Spring	.05
A16S 6" Spring	.05
A18S 8" Spring	.05
A110S 10" Spring	.05
A112S 12" Spring	.05
A115S 15" Spring	.05
A118S 18" Spring	.05
AC16S 6" Crestoloy Spring	.05
AC18S 8" " "	.05
AC110S 10" " "	.05
O19S 9" Spring	.05
O111S 11" Spring	.05

SMITH & HEMENWAY Section

Assortments and Displays	Each
2400A	11.25
2400C	10.80
488S	1.25
490S	1.60

Auger Bits—See Bits, Auger

Awls, Scratch—See Crescent Tool Section

Bearing Scapers—See Scrapers, Bearing

Bits, Auger	Each
2400 3/16"	.65
4/16"	.50
5/16"	.50
6/16"	.55
7/16"	.65
8/16"	.70
9/16"	.75
10/16"	.80
11/16"	.85
12/16"	.90
13/16"	1.00
14/16"	1.05
15/16"	1.10
16/16"	1.15
17/16"	1.25
18/16"	1.25
19/16"	1.50
20/16"	1.75
22/16"	1.90
24/16"	2.00
2403-2404	
10/16"	.80
11/16"	.85
12/16"	.90
13/16"	1.00
14/16"	1.05
16/16"	1.15

Bits, Screwdriver—See Screwdriver Bits

Blades, Hack Saw	Doz.
1239-1439 8"	.55
10"	.70
12"	.85

Specify whether 18, 24 or 32 teeth

Buffalo Grips—See Grips, Wire

Cape Chisels—See Chisels, Misc.

Chisels, Cold	Each
160 1/4"	.20
5/16"	.20
3/8"	.25
1/2"	.30
5/8"	.35
3/4"	.45
7/8"	.60
1"	.75
260-12" 1/2"	.40
5/8"	.50
3/4"	.80
7/8"	.90
1"	1.10

Chisels, Misc.	Each
164, 165, 166, 167	
1/4"	.35
5/16"	.45
3/8"	.55
1/2"	.75
5/8" (Not made in 164)	.90
165 3/4"	1.00

Chisels, Wood	
175-3/4"	.65
175-1"	.75
175-1 1/4"	.85

Clamps, Wire	
266	1.50
368	3.00
369	4.15
566	2.75
568	3.75

Climbers, Pole	Pair
253	3.25

Climber Pads—See Pads, Climber

Climber Straps—See Straps, Climber

Cold Chisels—See Chisels, Cold

Comalongs—See Clamps, Wire

Connectors, Electricians'	Each
312	3.00
417	3.25
419	5.75
424	3.10
709	2.10
713	2.60
715	2.60
717	3.80
732	3.00
745	2.60

Diamond Point Chisels—See Chisels, Misc.

Drills, Star

		Each
161-12"	1/4"	.35
	5/16"	.35
	3/8"	.35
	7/16"	.35
	1/2"	.40
	5/8"	.50
	1/4"	.60
	7/8"	.70
	1"	.75
	1 1/8"	1.00
	1 1/4"	1.25
	1 3/8"	1.65
	1 1/2"	2.00
	1 5/8"	2.50
	1 3/4"	3.00
	1 7/8"	3.75
	2"	4.25
	2 1/4"	5.50
	2 1/2"	6.75
161-18"	1/4"	.45
	5/16"	.45
	3/8"	.45
	7/16"	.45
	1/2"	.50
	5/8"	.60
	3/4"	.75
	7/8"	.85
	1"	.95
	1 1/8"	1.15
	1 1/4"	1.50
	1 3/8"	1.85
	1 1/2"	2.25
	1 5/8"	2.75
	1 3/4"	3.25
	1 7/8"	4.00
	2"	4.50
	2 1/4"	6.00
	2 1/2"	7.00

Electricians Climbers—See Climbers

Electricians Connectors—See Connectors

Electricians Safety Straps—See Straps, Safety

Electricians Tool Belts—See Tool Belts

Electricians Wire Clamps—See Clamps

Grips, Wire

471	4.00
472	6.30
473	9.50
574	6.60
575	8.25
674	7.35
675	9.00
771	5.00
772	6.85
773	12.00
871	10.00
872	10.50
873	12.40
874	13.35
875	15.75

Hack Saw Blades—See Blades, Hack Saw

Half Round Nose Chisels—See Chisels, Misc.

Havens' Clamps—See Grips, Wire

Lag Screw Wrenches—See Wrenches, Lag Screw

Nail Pullers—See Pullers, Nail

Pads, Climber

	Pair
255	.40
355	.60

Pliers

		Each
20	4"	.80
	5"	.85
	6"	1.00
21	4"	.80
	5"	.85
	6"	1.00
22	4"	.80
	5"	.90
	6"	1.00
23	6"	1.35
39, 40	5"	1.00
50	4"	.90
	5"	1.00
	6"	1.10
	7"	1.25
	8"	1.50
50	6" (Insul. Hdle.)	2.25
	7" " "	2.50
	8" " "	2.75
70	6"	.90
	7"	1.00
	8"	1.10
72	5"	.90
	6"	1.00
	7"	1.15
125	6"	1.00
265	4 1/2"	1.00
282	6"	.60
	8"	.65
	10"	.75
350	8"	1.50
444	7"	1.00
450	8"	2.75
470	7"	.80
	8"	.90
	10"	1.00
500	5	1.10
542	7"	1.25
570	6"	.75
622	5" Polished	1.10
	5" Nickel	1.50
642	6"	1.25
650	6"	1.50
652	6"	1.40
654	6"	1.35
	7"	1.50
742	7"	1.50
777	6"	1.50
	7"	1.75

Pliers, Continued

		Each
888	6"	1.75
925	6"	1.00
	8"	1.25
	10"	1.50
926	8"	1.35
	10"	1.75
942	4"	1.25
	5"	1.35
	6"	1.50
943	5"	1.50
950	5 1/2"	1.25
	7"	1.50
999	6"	.90
	8"	1.10
1000	5"	.70
	6"	.80
	8"	1.00
	10"	1.25
1024	5"	1.00
	6"	1.10
1027	7"	1.25
1033	6"	1.15
	7"	1.25
1225	7"	1.35
1226	7"	1.25
1650	6"	2.50
	7"	2.75
	8"	3.00
	9"	4.00
1906	10"	1.50
1907	10"	1.25
1950	6"	1.50
	7"	1.75
	8"	2.25
	9"	2.75
	8" (Insul. Hdle.)	3.75
3700	5 1/2"	
	6"	
	7"	
	8"	
3800	5 1/2"	1.00
	6"	1.00
	7"	1.10
	8"	1.25

Pullers, Nail

1	2.00
1 1/2	1.75
13	1.25
101	2.25

Pullers, Nail, Repair Parts

	Each
1 Short Jaw	.60
1 Long Jaw	.90
1 Rammer	.60
1 1/2 Short Jaw	.60
1 1/2 Long Jaw	.90
1 1/2 Rammer	.60
13 Short Jaw	.50
13 Long Jaw	.80
13 Rammer	.50
101 Short Jaw	.70
101 Long Jaw	1.00
101 Rammer	.70
Nuts, Bolts and Lock Washers	.20

PUNCHES

Punches, Repair and Lining Up

		Each
95	3/16"	.45
	1/4"	.60
	3/8"	.75

Punches, Center

486	1/4"	.20
	5/16"	.20
	3/8"	.25
	1/2"	.35

Punches, Prick

487	5/16"	.20
	3/8"	.25

Punches, Pin

488	1/8"	.30
	5/32"	.30
	3/16"	.30
	1/4"	.35
	5/16"	.50
490	All Sizes	.40

Punches, Solid

489	3/32" to 9/32"	.30
489	5/16"	.55
489	7/16"	.75

Round Nose Chisels—See Chisels Misc.

Scrapers, Bearing

86	3"	.70
	3 1/4"	.75
	3 1/2"	.80
87	(Set of Three)	2.10

Scratch Awls—See Awls, Scratch (Crescent Section)

Screwdrivers, Crescent—See Crescent Tool Section of this price sheet.

Srewdrivers, S. & H. Co.

214	2"	.20
	3"	.20
	4"	.25
	5"	.30
	6"	.35
	8"	.45
	10"	.60
	12"	.65
215	1 1/2"	.20
216	1 1/2"	.30
1315	2 1/2"	.20
	3 1/2"	.25
	4 1/2"	.30
	5 1/2"	.35
	6 1/2"	.40
	8 1/2"	.55
	10 1/2"	.70
	12 1/2"	.80
1412	1 3/4"	.35

Screwdrivers, Cont.

		Each
	2 1/2"	.50
	3 1/2"	.65
	4 1/2"	.80
1418	1 3/4"	.60
	5"	.90
1420	2"	.25
	3"	.30
	4"	.35
	5"	.45
	6"	.50
	8"	.65
	10"	.90
	12"	1.00
1514	2"	.25
	3"	.30
	4"	.35
	5"	.40
	6"	.45
	8"	.60
	10"	.75
	12"	.90

Screwdriver Bits

421	(Bits) 4"	.20
	4 1/2"	.20
	5"	.20

Snips

270	2 3/4 x 10"	.90
	3 1/4 x 12"	1.00
271	No. 6 1/2—15 1/2"	4.10
	7 —14"	3.40
	8 —13"	3.00
	9 —12"	2.50
	10—11"	2.25
	11—10"	1.75
	12— 9"	1.50
274	17—14"	4.00
	18—13"	3.25
	19—12"	3.00
	110—11"	2.75
578	7"	.75

Star Drills—See Drills, Star

Straps, Climber	Set
254	1.75

Straps, Safety		Each
349	1 3/4"	7.50
	2"	8.00

Tinners' Snips—See Snips

Tool Belts, Electricians'		
158	2 1/4"	5.25

Wood Chisels—See Vhisels, Wood

Wrenches, Lag Screw	
275	3.00

CRESCENT TOOL CO.,

JAMESTOWN, N.Y., U.S.A.

9 - 35
7 - 28 - 31